

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,956,040 B2

Page 1 of 2

APPLICATION NO. : 10/051784

DATED

INVENTOR(S) : Anita Mehta et al.

October 18, 2005

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title page, Title -- "piperazinyl" needs to be removed

Title page, Other publications, Line 1 -- "Medicianl Chemistry" should read --Medicinal Chemistry--

Title page, Other publications, Line 21 -- "Comparitave" should read --Comparative--

Title page, item (74) -- "George F. Heibel, Esq." should read --George E. Heibel, Esq.--

Column 7, Line 27 -- "(R6,R7)" should read --(R6, R7)--

Column 18, Line 17 -- "Citrate slat" should read --Citrate salt--

Column 25, Line 47 -- "(1a, 5a, 6a)" should read --(1a, 5a, 6a)--

Column 27, Line 23 -- "cetamide" should read --acetamide--

Column 29, Line 7 -- "Compound No. 15" should read --Compound No. 17--

Column 29, Line 16 -- "(br s," should read --(br, s,--

Column 29, Line 16 -- "(H)." should read --(H),--

Column 31, Line 15 -- "yied" should read --yield--

Column 32, Line 46 -- "so" should read --solid--

Column 35, Line 65 -- "tat" should read --that--

Column 36, Line 6 -- "Nethyl" should read --N-Methyl--

Column 36, Line 30 -- "CH2Cl2" should read --CH₂Cl₂--

Column 39, Line 31 -- "J=12H" should read --J=12Hz--

Column 40, Line 29 -- "-193" should read -- -1.93--

Column 40, Line 55 -- "(3 3H)" should read --(t, 3H)--

Column 40, Line 56 -- "Methyl, N-1" should read --Methyl-N-1--

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 6,956,040 B2

Page 2 of 2

APPLICATION NO. : 10/051784

DATED

October 18, 2005

INVENTOR(S) : Anita Mehta et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 41, Line 6 – “(m 2H)” should read --(m, 2H)--

Column 42, Line 54 – “-]4-” should read --[4--

Column 45, Line 45 – “!H” should read --1H--*

Column 46, Line 53 – “7.24 7.11” should read --7.24-7.11--

Column 47, Line 20 – “dissoved” should read --dissolved--

Column 47, Line 30 – “Fluoro4-” should read --Fluoro-4- --

Column 47, Line 43 – “8H,)” should read --8H)--

Column 47, Line 47 – “Fluoro4-” should read --Fluoro-4- --

Column 48, Line 18 – “Fluoro4-” should read --Fluoro-4- --

This certificate supersedes certificate of correction
issued September 2, 2008.

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]